

Agent Architectures and Hierarchical Control

Overview:

- Agents and Robots
- Agent systems and architectures
- Agent controllers
- Hierarchical controllers

Agents and Robots


A situated agent perceives, reasons, and acts in time in an environment.

- An **agent** is something that acts in the world.
- A **purposive agent** prefers some states of the world to other states, and acts to try to achieve worlds they prefer.
- Agents interact with the environment with a **body**.
- An **embodied** agent has a physical body.
- A **robot** is an artificial purposive embodied agent.

What makes an agent?

- Agents can have sensors and effectors to interact with the environment.
- Agents have (limited) memory and (limited) computational capabilities.
- Agents reason and act in time.

Agent Systems




A **agent system** is made up of a **agent** and an **environment**.

- An agent receives **stimuli** from the environment
- An agent carries out **actions** in the environment.

Agent System Architecture

An **agent** is made up of a **body** and a **controller**.



- An agent interacts with the environment through its body.
- The **body** is made up of:
 - **sensors** that interpret stimuli
 - **actuators** that carry out actions
- The controller receives **percepts** from the body.
- The controller sends **commands** to the body.
- The body can also have reactions that are not controlled.

Implementing a controller

- A **controller** is the **brains** of the agent.
- Agents are situated in time, they receive sensory data in time, and do actions in time.
- The controller specifies the command at every time.
- The command at any time can depend on the current and previous percepts.

The Agent Functions

- Let T be the set of time points.
- A **percept trace** is a function from T into P , where P is the set of all possible percepts.
- A **command trace** is a function from T into C , where C is the set of all commands.
- A **transduction** is a function from percept traces into command traces.
- A transduction is **causal** if the command trace up to time t depends only on percepts up to t .
- A **controller** is an implementation of a causal transduction.

Belief States

- A causal transduction specifies a function from an agent's history at time t into its action at time t .
- An agent doesn't have access to its entire history. It only has access to what it has remembered.
- The **internal state** or **belief state** of an agent at time t encodes all of the agent's history that it has access to.
- The belief state of an agent encapsulates the information about its past that it can use for current and future actions.

Functions implemented in a controller

For discrete time, a controller implements:

- **belief state transition function** $remember(s, p)$, where s is a belief state and p is a percept, returns the next belief state.
- **command function** $do(s, p)$, where s is a belief state and p is a percept, returns a command for the agent.