

Fixpoints in Temporal Description Logics

Enrico Franconi

Faculty of Computer Science
Free University of Bozen-Bolzano, Italy
franconi@inf.unibz.it

David Toman

D.R.Chariton School of Computer Science
University of Waterloo, Canada
david@cs.uwaterloo.ca

Abstract

We study a decidable fixpoint extension of temporal description logics. To this end we employ and extend decidability results obtained for various temporally first-order monodic extensions of (first-order) description logics. Using these techniques we obtain decidability and tight complexity results for various fixpoint extensions of temporal description logics.

1 Introduction

Monodic temporal extensions of various (decidable) fragments of first-order logic have been studied employing the *quasi-model* approach of Wolter and Zakharyashev [Hodkinson *et al.*, 2000; 2001]. Their technique has been successfully applied to a variety of decidable fragments, e.g., to the \mathcal{ALC} and \mathcal{DLR} description logics, to the guarded fragment \mathcal{GF} , or to the two variables fragment. In addition, the complexity of the decision procedures for these fragments has been studied [Hodkinson *et al.*, 2003]. All these papers have focused on the standard first-order temporal logic that uses the \mathcal{U} (until) and \mathcal{S} (since) connectives [Artale and Franconi, 2005; Lutz *et al.*, 2008], save [Gabbay *et al.*, 2003] that studies an extension of a multi-modal (but still first-order) logic.

However, first-order temporal logics have been shown to lack certain expressiveness related, e.g., to expressing periodic events. This shortcoming has been identified by Wolper [Wolper, 1983] and various extensions have been proposed, e.g., the extended temporal logic (ETL) [Wolper, 1983] and the temporal fixpoint calculus [Vardi, 1988].

Simple temporal fixed point extensions of description logics have been considered in [Franconi and Toman, 2003] that enhances the *temporal part* of the language instead of varying the first-order fragment. That paper shows that the original quasimodel technique is amenable to using a much more expressive language over the temporal structure, while retaining decidability for many of the fragments studied in the \mathcal{US} case. However, the temporal description logic proposed in that paper disallows all of the interactions between the temporal fix-

points and the role constructors in the underlying description logic.

This paper addresses that shortcoming by allowing fixpoint operators to interact with role constructors of the underlying description logic: this way resolves one of the open problems proposed by [Franconi and Toman, 2003].

In order to focus on the actual temporal dimension of the problem, the results of our paper are formulated with respect to a basic description logic \mathcal{ALC} . However, the results can be extended to other dialects of description logics and likely to many other decidable fragments of first-order logic, provided they satisfy the monotonicity restriction of [Hodkinson *et al.*, 2000]. The results are as follows:

- We introduce a decision procedure for $\mathcal{ALC}_{\mu TL}$, a temporal description logic with future time temporal operators that is strictly more expressive than $\mathcal{ALC}_{\mathcal{U}}$. The extension is based on the temporal fixpoint calculus [Streett and Emerson, 1984; Vardi, 1988];
- We provide tight complexity bounds on the decision procedure that mirror those for $\mathcal{ALC}_{\mathcal{U}}$. Thus, from the complexity standpoint, the extension is *for free*;
- We show that a similar technique works also for $\mathcal{ALC}_{\mu TL}$ extended with past connectives that properly extends the logic $\mathcal{ALC}_{\mathcal{US}}$; and
- We briefly discuss how the proposed extension can be applicable to other more expressive dialects of description logics, e.g., \mathcal{ALCO} , \mathcal{ALCQ} , and others.

The paper is organised as follows: Sections 2 and 3 provide the necessary definitions and discuss the properties of the proposed logic. Section 4 presents decidability of the temporal fixpoint extension of a simple description logic \mathcal{ALC} . It also presents complexity bounds for the associated reasoning problems. However, due to a heavy reliance on a rather complex *quasimodel* machinery [Hodkinson *et al.*, 2000], we will only give a outline of the main steps needed to prove the main claim of the paper. Section 6 discusses the applicability of the results to a wider range of description logics and other decidable fragments of first-order logic. Section 7 concludes with directions for future research.

2 Definitions

We start with defining $\mathcal{ALC}_{\mu TL}$, the temporal fixpoint extension of the standard description logic \mathcal{ALC} :

Definition 1 ($\mathcal{ALC}_{\mu TL}$ **syntax**) *Concepts in the language $\mathcal{ALC}_{\mu TL}$ are defined by the following abstract syntax:*

$$C, D ::= A \mid \top \mid \perp \mid \neg C \mid C \sqcap D \mid C \sqcup D \\ \mid \forall R.C \mid \exists R.C \mid \circ C \mid \mu A.C,$$

where \circ is the usual next-time temporal operator. For the fixpoint concept $\mu A.C$ —where A is an atomic concept—we require that free occurrences of A in the concept expression C are all positive, i.e., they appear within even numbers of negations and in addition in the scope of at least one next time (\circ) operator:

Formulas of $\mathcal{ALC}_{\mu TL}$ are defined by the abstract syntax

$$\varphi ::= C \sqsubseteq D \mid \neg\varphi \mid x \mid \varphi \wedge \psi \mid \varphi \vee \psi \mid \circ\varphi \mid \mu x.\varphi.$$

Similar to concepts descriptions, the propositional variable x in $\mu x.\varphi$ can only appear in φ under an even number of negations and must be in the scope of at least one \circ operator.

Informally, the concept $\mu A.C$ denotes the least fixpoint solution to the equation $A = C(A)$, where C is seen as a set to set function of the concept variable A . Similarly, $\mu x.\psi$ denotes the least solution to the $x \equiv \psi$ equation.

The restriction on formation of the fixpoint constructs ensures that the fixpoint is well defined and truly temporal; indeed we will see that this restriction makes the *description logic* part of $\mathcal{ALC}_{\mu TL}$ essentially a fragment of first-order logic. The greatest fixpoint operator can be defined, as expected, as $\nu A.C = \neg\mu A.\neg C[\neg A/A]$ for concepts and $\nu x.\varphi = \neg\mu x.\neg\varphi[\neg x/x]$ for formulas of $\mathcal{ALC}_{\mu TL}$.

Definition 2 ($\mathcal{ALC}_{\mu TL}$ **semantics**) *An $\mathcal{ALC}_{\mu TL}$ interpretation structure is a triple $\mathcal{I} = (\mathcal{T}, \Delta, (\cdot)^{\mathcal{I}(t)})$ where \mathcal{T} is a flow of time based on natural numbers, Δ is a non-empty domain of objects, and $(\cdot)^{\mathcal{I}(t)}$ is an interpretation function that for every $t \in \mathcal{T}$ provides an interpretation for concepts and roles at time t , i.e., $C^{\mathcal{I}(t)} \subseteq \Delta$ and $R^{\mathcal{I}(t)} \subseteq \Delta \times \Delta$. The interpretation must satisfy the following conditions:*

$$\begin{aligned} \top^{\mathcal{I}(t)} &= \Delta \\ \perp^{\mathcal{I}(t)} &= \emptyset \\ (\neg C)^{\mathcal{I}(t)} &= \Delta \setminus C^{\mathcal{I}(t)} \\ (C \sqcap D)^{\mathcal{I}(t)} &= C^{\mathcal{I}(t)} \cap D^{\mathcal{I}(t)} \\ (C \sqcup D)^{\mathcal{I}(t)} &= C^{\mathcal{I}(t)} \cup D^{\mathcal{I}(t)} \\ (\forall R.C)^{\mathcal{I}(t)} &= \{i \in \Delta \mid \forall j. R^{\mathcal{I}(t)}(i, j) \Rightarrow C^{\mathcal{I}(t)}(j)\} \\ (\exists R.C)^{\mathcal{I}(t)} &= \{i \in \Delta \mid \exists j. R^{\mathcal{I}(t)}(i, j) \wedge C^{\mathcal{I}(t)}(j)\} \\ (\circ C)^{\mathcal{I}(t)} &= C^{\mathcal{I}(t+1)} \\ (\mu A.C)^{\mathcal{I}(t)} &= \bigcup_{k \geq 0} (C^k[\perp/A])^{\mathcal{I}(t)} \end{aligned}$$

where $C^k[\perp/A]$ stands for the concept description obtained by unfolding a fixpoint concept k times¹. Note that we make the constant domain assumption, i.e., Δ does not change over time.

Given a formula φ , an interpretation \mathcal{I} , and a time point $t \in \mathcal{T}$, the truth-relation $\mathcal{I}, t \models \varphi$ (φ holds in \mathcal{I} at time instant t) is defined inductively as follows:

$$\begin{aligned} \mathcal{I}, t \models C \sqsubseteq D &\text{ iff } C^{\mathcal{I}(t)} \subseteq D^{\mathcal{I}(t)} \\ \mathcal{I}, t \models \neg\varphi &\text{ iff } \mathcal{I}, t \not\models \varphi \\ \mathcal{I}, t \models \varphi \wedge \psi &\text{ iff } \mathcal{I}, t \models \varphi \text{ and } \mathcal{I}, t \models \psi \\ \mathcal{I}, t \models \varphi \vee \psi &\text{ iff } \mathcal{I}, t \models \varphi \text{ or } \mathcal{I}, t \models \psi \\ \mathcal{I}, t \models \circ\varphi &\text{ iff } \mathcal{I}, t+1 \models \varphi \\ \mathcal{I}, t \models \mu x.\varphi &\text{ iff } \mathcal{I}, t \models \varphi^k[\text{false}/x] \text{ for some } k \geq 0 \end{aligned}$$

where *false* is a shorthand for $p \wedge \neg p$. A formula φ is satisfiable if there is a temporal interpretation \mathcal{I} such that $\mathcal{I}, 0 \models \varphi$; \mathcal{I} is then called a model for φ .

A concept C is satisfiable if there is an interpretation \mathcal{I} such that $C^{\mathcal{I}(t)} \neq \emptyset$ for $t = 0$. We say that φ is globally satisfiable if there is an interpretation \mathcal{I} such that $\mathcal{I}, t \models \varphi$ for every t ($\mathcal{I} \models \varphi$, in symbols). We say that φ (globally) implies ψ and write $\varphi \models \psi$ if we have $\mathcal{I} \models \psi$ whenever $\mathcal{I} \models \varphi$.

Note that a concept C is satisfiable iff $\neg(C \sqsubseteq \perp)$ is satisfiable, a formula φ is globally satisfiable iff $\Box\varphi$ is satisfiable, and $\varphi \models \psi$ iff $\Box\varphi \wedge \neg\psi$ is not satisfiable². Thus, all reasoning tasks connected with the notions introduced above reduce to satisfiability of formulas.

In the rest of the paper we also assume that all concepts and formulas are in *negation normal form (NNF)*, i.e., negations are only applied to primitive concepts and primitive formulas. It is easy to see that every concept (formula) in $\mathcal{ALC}_{\mu TL}$ has an equivalent concept (formula) in NNF.

3 Properties of $\mathcal{ALC}_{\mu TL}$

The language we have introduced so far has clear advantages over the description logic $\mathcal{ALC}_{\mathcal{U}}$, for example, the addition of fixpoints allows us to express the notion of evenness and periodicity, properties not expressible in $\mathcal{ALC}_{\mathcal{U}}$. On the other hand, the \mathcal{U} (until) operator and the other standard temporal connectives of $\mathcal{ALC}_{\mathcal{U}}$ can be encoded in the logic with fixpoints $\mathcal{ALC}_{\mu TL}$ as follows:

$$\begin{aligned} \diamond C &\equiv \mu A.(C \sqcup \circ A) && \text{(eventually } C\text{)} \\ \Box C &\equiv \nu A.(C \sqcap \circ A) && \text{(always in the future } C\text{)} \\ C \mathcal{U} D &\equiv \mu A.(D \sqcup (C \sqcap \circ A)) \end{aligned}$$

Moreover, based on results on the expressive power of propositional linear time temporal logics [Wolper, 1983] we can prove the following:

¹Due to the restrictions on the occurrence of A in C , this definition is equivalent to the more common *intersection of models* definition [Calvanese et al., 1999; Vardi, 1988].

²The \Box operator (read *always in the future*) will be defined in Section 3.

Proposition 3 $\mathcal{ALC}_{\mu TL}$ is more expressive than $\mathcal{ALC}_{\mathcal{U}}$.

A typical example of the additional expressive power of $\mathcal{ALC}_{\mu TL}$ would be a property which should hold true every k time points, starting from the current one. For example, a catholic priest celebrates the Mass every seven days:

$$\text{Celebrating-Catholic-Priest} \doteq \\ \nu A. (\exists \text{celebrate.Catholic-Mass} \sqcap \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc A)$$

Observe that, in the fragment introduced in the previous section, the descriptions within a single state are purely first-order; the fixpoint operator only affects the temporal part of the language and it does not change the first order nature of the description logic.

Note also that in this fragment it is impossible to express temporalised roles (temporal operators cannot be applied on roles). It is well known that allowing these would lead to an undecidable satisfiability problem even in $\mathcal{ALC}_{\mathcal{U}}$ [Hodkinson *et al.*, 2000].

4 Decidability and Complexity of Reasoning

Now we study the computational properties of $\mathcal{ALC}_{\mu TL}$. We consider only the natural numbers-like flows of time $\mathcal{T} = (N, <)$.

We first introduce the necessary background definitions related to the *quasimodel*-based technique used to show decidability of various monodic temporal extensions of decidable fragments of first-order logic [Hodkinson *et al.*, 2000; Wolter and Zakharyashev, 1999]. We modify these to suit $\mathcal{ALC}_{\mu TL}$ over the flow of time $(N, <)$.

Consider a formula $\varphi \in \mathcal{ALC}_{\mu TL}$. We define sets of formulas and concepts, $\text{sub } \varphi$ and $\text{con } \varphi$ to be the closures under negations of all subformulas and subconcepts of φ , $\psi[\mu x.\psi/x]$, and $D[\mu A.D/A]$ for each fixpoint subformula $\mu x.\psi$ and fixpoint concept $\mu A.D$ in φ ; a natural extension of the idea of the *Fischer-Ladner* closure of φ with respect to its subformulas and subconcepts [Fisher, 1979]. We also assume that all concepts (formulas) the form $\bigcirc C$ ($\bigcirc \psi$) have been replaced by unique auxiliary primitive concepts $A_{\bigcirc C}$ (propositions $p_{\bigcirc \psi}$), respectively, that do not appear in φ .

Definition 4 (Quasiworlds for φ) Given an \mathcal{ALC} interpretation I (that interprets primitive symbols in φ and the above auxiliary symbols), we define a quasiworld w_I for φ to be the tuple

$$\langle \{ \{ C \in \text{con } \varphi : a \in C^I \} : a \in \Delta \}, \{ \psi \in \text{sub } \varphi : I \models \psi \} \rangle$$

Were constants (ABox or nominals) allowed, the quasiworlds would need an additional component accounting for the behaviour of these constants. The important observations at this point are that, for a fixed formula φ , (1) there are only finitely many (distinct) quasiworlds, and (2) for decidable description logics, they can be effectively constructed.

The interpretations I for the individual quasiworlds will eventually serve as templates for *models of single states* in an

overall model for φ . In turn sequences of quasiworlds will serve as abstractions of models of φ .

However, these abstractions must be *coherent* along the temporal dimension. This, in particular, requires that the auxiliary concepts and formulas standing for temporal subconcepts and subformulas behave according to the underlying temporal semantics, in particular

1. for least fixpoints there must not be infinite regenerating sequences, and
2. the auxiliary concepts and formulas must behave according to the definitions of temporal connectives.

First we need to guarantee that the abstraction prevents infinite sequences of *unfolding of a least fixpoint* that appears in φ as a subconcept or a subformula. To achieve this goal we need to detect such sequences in a potential quasimodel by considering repetitive unfolding of fixpoints along time, called *regeneration*. For this we need an auxiliary definition of *derivation* that tells us how later instances of fixpoint subformulas have been derived from earlier ones. We employ an extension of *choice function* introduced by Street and Emerson [Streett and Emerson, 1984] for μTL :

Definition 5 (Choice Relations and Adornment) Let $W = \langle w_i : i \in N \rangle$ be a sequence of quasiworlds of the form $\langle T_i, \Psi_i \rangle$, indexed by natural numbers. We say that a relation

$$\text{ADRNC} : N \times 2^{\text{con } \varphi} \times \text{con } \varphi \times 2^{\text{con } \varphi} \times \text{con } \varphi$$

is a concept adornment of W if, for each time instant $i \in N$, each type $t \in T_i$ and every concept $D \in t$ of the form $C_1 \sqcup C_2$, $\exists R.C$, or $A_{\bigcirc C}$, it satisfies

$$\begin{aligned} & \text{ADRNC}(i, t, C_1 \sqcup C_2, t, E) \\ & \text{ADRNC}(i, t, \exists R.C, t', C) \\ & \text{ADRNC}(i, t, A_{\bigcirc C}, t'', C) \end{aligned}$$

where E is either C_1 or C_2 , $t' \in T_i$ such that $C \in t'$ and whenever $\forall R.E \in t$ then $E \in t'$, and $t'' \in T_{i+1}$ such that $C \in t''$. Moreover, for each triple i, t , and D there is at least one tuple in the relation ADRNC. We say that a relation

$$\text{ADRNF} : N \times \text{sub } \varphi \times \text{sub } \varphi$$

is a formula adornment of W if, for each time instant i and every formula $\psi \in \Psi_i$ of the form $\psi_1 \vee \psi_2$ it satisfies

$$\text{ADRNF}(i, \psi_1 \vee \psi_2, \delta)$$

where δ is either ψ_1 or ψ_2 and such that for each tuple i and ψ there is at least one tuple in the relation ADRNF.

Intuitively, the adornment relation ADRNC tells us how disjunctions and existential restrictions are to be satisfied in the abstraction: we use relations to represent the adornments to capture the fact that, e.g., the concept $\exists R.D$ can be realized in several ways in a particular model and thus in its abstraction³. Similarly, ADRNF handles disjunctions in $\mathcal{ALC}_{\mu TL}$ formulas.

³[Streett and Emerson, 1984] use a partial function instead.

It is easy to see that, whenever a sequence of quasiworlds faithfully represents an actual model of an $\mathcal{ALC}_{\mu TL}$ formula, the adornment relations, as defined above, exist and represent at least a partial functions, i.e., each disjunction and existential restriction (in each type of every quasiworld) must have a realization—represented as a tuple in these relations. Conversely, given a sequence of quasiworlds with an adornment, we can construct a model for each $w_i \in W$ that *corresponds* to the adornment (by appropriately realizing disjunctions and existential restrictions).

Hence, given a sequence $W = \langle w_i : i \in N \rangle$ of quasiworlds of the form $\langle T_i, \Psi_i \rangle$ and with the help of the adornments ADRNC and ADRNF we can define a *derivation of concepts*, denoted by \vdash , for concepts in the type $t \in T_i$, as follows:

1. if $C_1 \sqcup C_2 \in t$ then $(i, t, C_1 \sqcup C_2) \vdash (i, t, E)$ when $\text{ADRNC}(i, t, C_1 \sqcup C_2, t, E)$;
2. if $\exists R.C \in t$ then $(i, t, \exists R.C) \vdash (i, t', C)$ when $\text{ADRNC}(i, t, \exists R.C, t', C)$;
3. if $\forall R.C \in t$ then $(i, t, \forall R.C) \vdash (i, t', C)$ whenever $\exists R.E \in t$ and $\text{ADRNC}(i, t, \exists R.E, t', E)$;
4. if $C_1 \sqcap C_2 \in t$ then $(i, t, C_1 \sqcap C_2) \vdash (i, t, C_1)$ and $(i, t, C_1 \sqcap C_2) \vdash (i, t, C_2)$;
5. if $A_{\circ C} \in t$ then $(i, t, \circ C) \vdash (i + 1, t', C)$ whenever $\text{ADRNC}(i, t, A_{\circ C}, t', C)$;
6. if $\mu A.C \in t$ then $(i, t, \mu A.C) \vdash (i, t, C[\mu A.C/A])$; and
7. if $\nu A.C \in t$ then $(i, t, \nu A.C) \vdash (i, t, C[\nu A.C/A])$.

Note that the choice of t' in (5) corresponds to the fact that runs potentially connect all *compatible* pairs of types and thus we must consider derivations through any of the compatible types t' in the next quasiworld. Similarly, we define a derivations of formulae in Ψ_i as follows:

1. if $\psi_1 \vee \psi_2 \in \Psi_i$ then $(i, \psi_1 \vee \psi_2) \vdash (i, \psi)$ when $\text{ADRNF}(i, \psi_1 \vee \psi_2, \psi)$;
2. if $\psi_1 \wedge \psi_2 \in \Psi_i$ then $(i, \psi_1 \wedge \psi_2) \vdash (i, \psi_1)$ and $(i, \psi_1 \wedge \psi_2) \vdash (i, \psi_2)$;
3. if $P_{\circ \psi} \in \Psi_i$ then $(i, \circ \psi) \vdash (i + 1, \psi)$;
4. if $\mu x.\psi \in \Psi_i$ then $(i, \mu x.\psi) \vdash (i, \psi[\mu x.\psi/x])$; and
5. if $\nu x.\psi \in \Psi_i$ then $(i, \nu x.\psi) \vdash (i, \psi[\nu x.\psi/x])$.

Similar to types in quasiworlds, the adornment relations can be represented by unary predicates over W indexed by the remaining parameters (as those are fixed for a given $\mathcal{ALC}_{\mu TL}$ formula φ). Derivation relations can then be captured, e.g., as a SIS formula over these relations.

Definition 6 (Regenerating Sequence) Let $i_0, i_k \in N$. We say that

- the concept $\mu A.C$ is regenerated from i_0 to i_k if there is a sequence $i_1, \dots, i_{k-1} \in N$ such that $(i_j, t_{i_j}, C_{i_j}) \vdash (i_{j+1}, t_{i_{j+1}}, C_{i_{j+1}})$ such that $C_{i_0} = C_{i_k} = \mu A.C$ and each C_{i_j} contains $\mu A.C$ as subconcept; and
- the formula $\mu x.\psi$ is regenerated from i_0 to i_k if there is a sequence $i_1, \dots, i_{k-1} \in N$ such that $(i_j, \psi_{i_j}) \vdash (i_{j+1}, \psi_{i_{j+1}})$ such that $\psi_{i_0} = \psi_{i_k} = \mu x.\psi$ and each ψ_{i_j} contains $\mu x.\psi$ as subformula.

To make auxiliary concepts and formulas respect the semantics of temporal connectives, we define the notion of *run*:

Definition 7 (Runs) Let $W = \langle w_i : i \in N \rangle$ be a sequence of quasiworlds of the form $\langle T_i, \Psi_i \rangle$, indexed by natural numbers. We say that a sequence $r = \langle t_i : i \in N \rangle$, where $t_i \subseteq \text{con } \varphi$, is a run if

1. $t_i \in T_i$,
2. $A_{\circ C} \in t_i$ iff $C \in t_{i+1}$
and $\text{ADRNC}(i, t_i, A_{\circ C}, t_{i+1}, C)$;
3. $\mu A.C \in t_i$ iff $C[\mu A.C/A] \in t_i$; and
4. $\nu A.C \in t_i$ iff $C[\nu A.C/A] \in t_i$

for all $i \in N$.

Runs *relate* domain elements from the domains of different quasiworlds yielding a coherent model for φ (here, the ability to *copy* domain elements in the individual states sufficiently many times is essential to have sufficiently many runs). We use runs not involved in infinite regenerating sequences to restrict sequences of quasiworlds to those that properly abstract models of an $\mathcal{ALC}_{\mu TL}$ formula φ as follows:

Definition 8 (Quasimodel) Let $W = \langle w_i : i \in N \rangle$ be a sequence of quasiworlds of the form $\langle T_i, \Psi_i \rangle$, indexed by natural numbers. We say that W is a quasimodel for φ if

1. $\varphi \in \Psi_0$;
2. for every $t \in T_i$ and $i \in N$ there is a run r such that $t = r(i)$;
3. $p_{\circ \psi} \in \Psi_i$ iff $\psi \in \Psi_{i+1}$;
4. $\mu x.\psi \in \Psi_i$ iff $\psi[\mu x.\psi/x] \in \Psi_i$;
5. $\nu x.\psi \in \Psi_i$ iff $\psi[\nu x.\psi/x] \in \Psi_i$; and
6. W is well-founded, i.e., there is no infinite sequence i_0, i_1, \dots such that $\mu A.C \in \text{con } \varphi$ ($\mu x.\psi \in \text{sub } \varphi$) regenerates from i_j to i_{j+1} for all $j \geq 0$.

Theorem 9 An $\mathcal{ALC}_{\mu TL}$ formula φ is satisfiable if and only if there is a quasimodel for φ .

Proof (sketch) Given a model of φ we show that a quasimodel W for φ exists (this is analogous to the proof in

[Wolter and Zakharyashev, 1999]); in addition we need to show that we can construct an adornment ADRNC and ADRNF for W (follows from the fact that every quasiworld in W can be realised); for the other direction having a quasiworld W and an adornment ADRNC and ADRNF we can construct a realisation I_j of each quasiworld in $w_j \in W$ that corresponds to the adornment; and then using these realisations I_j from and runs we can construct a model for φ ; this is again analogous to the proof in [Wolter and Zakharyashev, 1999], save the use of adornments to guarantee well-foundedness of least fixpoints.

Thus, it suffices to check whether φ has a quasimodel. This can be done, e.g., by embedding the quasimodel conditions into S1S, similarly to [Hodkinson *et al.*, 2000]. In particular, S1S is more than sufficient to enforce the temporal fixpoint conditions. To achieve tight complexity bounds, we can employ the fact that, for satisfiable $\mathcal{ALC}_{\mu\bigcirc}$ formulas, periodic quasimodels exist. We construct an automaton that accepts exactly the quasimodels for φ : this automaton is a product of an automaton that verifies the conditions on runs and a complement of another automaton that detects infinite regenerating sequences for fixpoints; the technique is an adaptation of a technique in [Vardi, 1988].

Theorem 10 *The formula satisfiability problem for $\mathcal{ALC}_{\mu TL}$ is EXPSPACE-complete.*

The upper bound relies on the construction in [Vardi, 1988] by observing that the input to the construction is exponential in $|\varphi|$, hardness holds even for \mathcal{ALC}_{\square} .

5 $\mathcal{ALC}_{\mu TL}$ with previous-time operator

We now consider extending $\mathcal{ALC}_{\mu TL}$ with past operators, in particular the previous time (\bullet) operator. The natural extension of the semantics of $\mathcal{ALC}_{\mu TL}$ are as follows:

$$(\bullet C)^{\mathcal{I}(t)} = C^{\mathcal{I}(t-1)}$$

and

$$\mathcal{I}, t \models \bullet\varphi \text{ iff } \mathcal{I}, t-1 \models \varphi$$

for an integer-like flow of time (for natural numbers-like flows we need two past operators to account for differences for $t = 0$). To keep the description logic part first-order we require that each fixpoint variable (i.e., primitive concept name or propositional variable) must occur in the scope of at least one of the previous (\bullet) and next time (\bigcirc) operators and, if it occurs in the scope of multiple operators, the number of \bigcirc and \bullet must be different (this ensures that fixpoint formulas can regenerate only at different time instants). Note that this logic properly contains \mathcal{ALC}_{US} .

With these definitions we can reuse all of the machinery introduced in Section 3 to obtain a tight EXPSPACE complexity bound for $\mathcal{ALC}_{\mu TL}$ with both past (\bullet) and future (\bigcirc) temporal operators. The main technical difference is that for checking for well foundedness of a quasimodel a two-way automaton is needed [Vardi, 1988].

6 Temporal Fixpoints and Other Fragments

The decidability result can be extended to more powerful description logics and other decidable fragments of first-order logic, in particular to the following:

Theorem 11 *Satisfiability of the monodic fixpoint temporal extensions of*

- \mathcal{ALCO} and
- \mathcal{ALCQ}

is EXPSPACE-complete.

These results are based on *patching* the decidability proofs in, e.g., [Wolter and Zakharyashev, 1999; Hodkinson, 2002; Artale *et al.*, 2002] using our technique. In the first case we add constants in the same fashion as in [Wolter and Zakharyashev, 1999]: the quasiworlds will now have an additional component of types realized by said constants. In the second case we simply modify the derivation relation (for $\exists R.C$) in the notion of regeneration (Definition 6) to account for the number restrictions. This modification is confined to single quasiworlds and does not affect the remaining machinery.

Consequently, the extension of $\mathcal{ALC}_{\mu TL}$ with an ABOX—allowing assertions of the form $a : C$ and $a R b$, for a and b names of individual objects in Δ , to be considered atomic formulas alongside $C \sqsubseteq D$ —does not change the computational properties of $\mathcal{ALC}_{\mu TL}$:

Theorem 12 *The formula satisfiability problem for $\mathcal{ALC}_{\mu TL}$ with an ABox is EXPSPACE-complete.*

This follows immediately from the result for \mathcal{ALCO} .

Our results also show that the temporal fixpoint extension is mostly orthogonal to the consideration of the underlying first-order fragment (as long as integer-like flow of time is used).

7 Conclusion

The paper solves an open problem in [Franconi and Toman, 2003] and shows that a much more involved introduction of temporal fixpoints in description logics still preserves decidability and complexity bounds. The extension enhances the expressive power of the languages: for example, evenness is now definable over the temporal dimension. The technical contribution of the paper lies in a non-trivial extension of the quasiworld technique to logics in which temporal operators (in our case defined by fixpoints) interact with the role constructors of the underlying description logic and thus cannot be captured by considering properties of individual *runs* in a quasimodel alone (in contrast to the standard first-order connectives \mathcal{U} and \mathcal{S} or the fixpoint extension proposed in [Franconi and Toman, 2003]). The paper also paves a path to fixpoint extensions of other decidable fragments of first-order logics that have been shown decidable using the *quasimodel* technique in the first-order temporal logic setting.

7.1 Open Problems

We are currently studying several extensions of the framework proposed in this paper, namely:

- Allowing full $\mathcal{ALC}_{\mu TL}$; in this case, the concept descriptions are no longer first-order in every temporal world and the quasi-model technique cannot be applied directly;
- Allowing *inverses* in the underlying description logic: this complicates the construction of adornments (we conjecture such an extension still preserves the EX-PSPACE complexity bound but the development is beyond the scope of this paper), and
- Allowing other decidable formalisms, such as the guarded fragment \mathcal{GF} in a monodic combination with temporal fixpoints.

Other extensions relate to studying temporal fixpoints for other flows of time, to allowing even more expressive temporal languages (e.g., S1S), and to investigating interaction with queries [Artale *et al.*, 2002].

Orthogonally, we can consider various restrictions on the occurrence of temporal operators, e.g., only in concepts, with an optional global set of DL axioms, or only in DL axioms leaving concepts and roles non-temporal, along the lines in [Lutz *et al.*, 2008]. Yet another direction is to consider temporal fixpoints in connection with lightweight description logics such as DL-Lite and \mathcal{EL} and the problem of query answering over knowledge bases based on fixpoint temporal description logics.

References

- [Artale and Franconi, 2005] Alessandro Artale and Enrico Franconi. Temporal Description Logics. In Dov Gabbay, Michael Fisher, and Lluís Vila, editors, *Handbook of Temporal Reasoning in Artificial Intelligence*. Elsevier, Foundations of Artificial Intelligence, 2005.
- [Artale *et al.*, 2002] A. Artale, E. Franconi, F. Wolter, and M. Zakharyashev. A temporal description logic for reasoning over conceptual schemas and queries. In *Proc. of the 8th European Conference on Logics in Artificial Intelligence (JELIA-2002)*, 2002.
- [Calvanese *et al.*, 1999] Diego Calvanese, Giuseppe De Giacomo, and Maurizio Lenzerini. Reasoning in expressive description logics with fixpoints based on automata on infinite trees. In *Proc. of the 16th Int. Joint Conf. on Artificial Intelligence (IJCAI'99)*, pages 84–89, 1999.
- [Fisher, 1979] R.E. Fisher, M.L. and Ladner. Propositional dynamic logic of regular programs. *J. Computer and Systems Science*, 10:194–211, 1979.
- [Franconi and Toman, 2003] Enrico Franconi and David Toman. Fixpoint extensions of temporal description logics. In Diego Calvanese, Giuseppe De Giacomo, and Enrico Franconi, editors, *Description Logics*, volume 81 of *CEUR Workshop Proceedings*. CEUR-WS.org, 2003.
- [Gabbay *et al.*, 2003] D. Gabbay, A. Kurucz, F. Wolter, and M. Zakharyashev. *Many-Dimensional Modal Logics: Theory and Applications*. Elsevier, 2003.
- [Hodkinson *et al.*, 2000] I. Hodkinson, F. Wolter, and M. Zakharyashev. Decidable fragments of first-order temporal logics. *Annals of Pure and Applied Logic*, 106:85–134, 2000.
- [Hodkinson *et al.*, 2001] Ian M. Hodkinson, Frank Wolter, and Michael Zakharyashev. Monodic fragments of first-order temporal logics: 2000-2001 A.D. In *Proceedings of the 8th International Conference on Logic for Programming and Automated Reasoning (LPAR'01)*, 2001.
- [Hodkinson *et al.*, 2003] Ian Hodkinson, Roman Kontchakov, Agi Kurucz, and Michael Zakharyashev Frank Wolter. On the computational complexity of decidable fragments of first-order linear temporal logics. In *Proceedings of the Joint 10th International Symposium on Temporal Representation and Reasoning and 4th International Conference on Temporal Logic (TIME-ICTL 2003)*, 2003.
- [Hodkinson, 2002] Ian M. Hodkinson. Monodic packed fragment with equality is decidable. *Studia Logica*, 72(2):185–197, 2002.
- [Lutz *et al.*, 2008] Carsten Lutz, Frank Wolter, and Michael Zakharyashev. Temporal description logics: A survey. In *15th International Symposium on Temporal Representation and Reasoning, TIME 2008, Université du Québec à Montréal, Canada, 16-18 June 2008*, pages 3–14, 2008.
- [Streitt and Emerson, 1984] Robert S. Streitt and E. Allen Emerson. The propositional mu-calculus is elementary. In Jan Paredaens, editor, *ICALP*, volume 172 of *Lecture Notes in Computer Science*, pages 465–472. Springer, 1984.
- [Vardi, 1988] Moshe Y. Vardi. A Temporal Fixpoint Calculus. In *25th ACM SIGPLAN-SIGACT Symposium on Principles of Programming Languages (POPL 88)*, pages 250–259, 1988.
- [Wolper, 1983] Pierre Wolper. Temporal Logic Can Be More Expressive. *Information and Control*, 56(1/2):72–99, 1983.
- [Wolter and Zakharyashev, 1999] F. Wolter and M. Zakharyashev. Temporalizing description logics. In D. Gabbay and M. de Rijke, editors, *Frontiers of Combining Systems*. Studies Press-Wiley, 1999. Also in the Proceedings of *FroCoS'98*, Amsterdam, 1998.